

JREZ LLC

JREZ® 61-2 PRODUCT DATA SHEET

THERMOPLASTIC ACRYLIC RESIN SOLUTION

FEATURES: JREZ® 61-2 is compatible with cellulose acetate butyrate, nitrocellulose, and other cellulosic and vinyl polymers that are typically blended with acrylics. It is soluble in aromatics, ketones, esters, and ester ethers. It will tolerate alcohols and some aliphatics.

DESCRIPTION: JREZ 61-2 is a hard, thermoplastic homopolymer acrylic resin solution. Is it a basic raw material for manufacturing automotive refinishing enamels, vinyl inks, hot stamping foil lacquer films, and other coatings where intercoat adhesion, exterior durability, hardness and color retention are important. JREZ 61-2 sprays well.

PHYSICAL CHARACTERISTICS:

Percent Non-Volatiles	40
Solvent System	MEK
Viscosity (approx.; cps)	3500 cps
Weight per Gallon	7.9 Pounds
Color	Water White

PACKAGING: 55-gallon drums, Bulk. Contact us for additional package options.

HEALTH, SAFETY AND ENVIRONMENTAL: Please refer to Safety Data Sheet.

These suggestions and data are based on information we believe to be reliable. They are offered in good faith but without warranty as conditions and methods of use are in the control of others. We recommend that prospective users determine the suitability of materials and suggestions before adopting same on a commercial scale. Suggestions for product application should not be understood as recommendations that they be implemented in violation of any patent. Data shown are typical and are subject to change. The user is responsible for handling this product or wastes containing this product in a safe manner and in compliance with all pertinent regulations



JREZ LLC

233 Old Short Hills Road
Short Hills, NJ 07078

PHONE (973) 738-6194

WEB SITE <http://www.jrezllc.com>